

Pronghorn Antelope Response Data Summary

License Year 1998

Harvest Surveys

Montana Fish Wildlife and Parks

October 20, 1999

This report contains summaries of license year 1998 (LY98) pronghorn antelope hunting and harvest survey response data based on responses returned from random samples of antelope license holders. Montana residents were surveyed primarily by phone, while non-residents were surveyed by mail. The population of 25,280 Montana resident antelope license holders was sampled to generate 14,913 contact labels, for an overall sample rate of 59%. From these, 10,724 survey responses were returned and used in the analysis, for a resident return rate of 72%, and an overall response rate of 42%. The population of 3,720 non-resident antelope license holders was sampled to generate 2,770 contact labels, for an overall sample rate of 75%. From these, 1,451 survey responses were returned and used in the analysis, for a non-resident return rate of 52%, and an overall response rate of 39%.


Antelope response data is summarized by location (statewide, regional, and by hunting district) and by residency (Montana residents, non-residents, both combined). Antelope response data is not summarized down to individual License/Permit level in this report. The response data set alone does not contain this information. Also, these summaries do not present expanded statistical estimates of hunting effort or harvest success. Complete Antelope response data analysis requires information from additional data sets (Sportsperson/License Database, Quota and Regulations Database) and further data manipulations. These steps have not yet been completed. This report just summarizes the information contained in the response data set.

Given these limitations, summaries of response data can provide useful information. Relevant hunting and harvest ratios such as percent hunting and percent success are unaffected by statistical expansion, as are percent harvest by sex-age class or time period of kill. Though summaries to License/Permit Type are not possible from response data alone, by viewing district level response information, in the light of knowledge of the management use of the License/Permit Types valid within the district, it is sometimes possible to deduce hunting and harvest to License/Permit level.

The following LY98 Antelope Response Data Summary tables are presented:

- **General Respondent Data**
- **Hunter Effort and Success**
- **Hunter Effort Data**
- **Hunter Success and Kill by Sex-Age Class**
- **Hunter Success and Kill by Time Period**

Montana State Library



3 0864 1006 8971 3

LY98 Antelope Response Data Summary, General Respondent Data

This summary is derived from the two most basic questions asked during the Antelope survey:

- Did you actively hunt for antelope?
- If so, how many antelope did you harvest?

Res = Residency class. N=non-residents, R=residents, All=both residency classes.

Cons Pfx = Conservation Prefix. These are the 2 digit codes the Licensing Section assigns to various types of conservation licenses sold. All antelope license holders must also hold a conservation license. All = all prefixes combined.

Responding Sports = Number of sportspersons returning responses.

Responding Hunters = Number of responding sportspersons reporting active hunting.

Responding Successful = Number of responding active hunters successful in harvesting one or more Antelope.

Reported Harvest = Number of Antelope harvested by successful Antelope survey respondents.

Percent Hunting = Ratio of active hunters to responding sportspersons * 100. Percent of Antelope license holders that actually went hunting.

Percent Success = Ratio of successful hunters to active hunters * 100. Percent of active hunters succeeding in taking one or more Antelope.

Holders To Kill = Ratio of responding sportspersons to reported harvest. An estimate of number of license/permit holders required to harvest an Antelope.

Kill Per Hunter = Ratio of reported harvest to active hunters. An estimate of the average number of Antelope harvested per active hunter.

Kill Per Successful = Ratio of reported harvest to successful hunters. An estimate of the average number of Antelope harvested per successful hunter.

Throughout this report, missing or undefined data is indicated by using a -9.

LY98 Antelope Response Data Summary, General Respondent Data Statewide, by Residency and Conservation Prefix

Res	Cons Pfx	Responding Sports	Responding Hunters	Responding Successful	Reported Harvest	Percent Hunting	Percent Success	Holders To Kill	Kill Per Hunter	Kill Per Successful
ALL	ALL	12,175	9,485	6,312	6,541	77.9	66.5	1.86	0.690	1.036
R	ALL	10,724	8,138	5,244	5,354	75.9	64.4	2.00	0.658	1.021
	09	1,277	958	597	610	75.0	62.3	2.09	0.637	1.022
	11	1,798	1,334	900	931	74.2	67.5	1.93	0.698	1.034
	12	3,102	2,385	1,486	1,510	76.9	62.3	2.05	0.633	1.016
	19	4,293	3,268	2,134	2,173	76.1	65.3	1.98	0.665	1.018
	34	119	86	57	57	72.3	66.3	2.09	0.663	1.000
	74	131	104	68	71	79.4	65.4	1.85	0.683	1.044
	81	4	3	2	2	75.0	66.7	2.00	0.667	1.000
N	ALL	1,451	1,347	1,068	1,187	92.8	79.3	1.22	0.881	1.111
	16	971	902	743	839	92.9	82.4	1.16	0.930	1.129
	20	9	9	8	8	100.0	88.9	1.13	0.889	1.000
	83	180	165	123	131	91.7	74.5	1.37	0.794	1.065
	84	66	64	41	44	97.0	64.1	1.50	0.688	1.073
	85	66	61	45	50	92.4	73.8	1.32	0.820	1.111
	86	93	85	64	67	91.4	75.3	1.39	0.788	1.047
	87	62	57	43	47	91.9	75.4	1.32	0.825	1.093
	88	2	2	1	1	100.0	50.0	2.00	0.500	1.000
	89	2	2	0	0	100.0	0.0	-9.00	0.000	-9.000

REPORT

ON THE PROGRESS OF THE WORK DURING THE YEAR 1900

BY THE SECRETARY OF THE BOARD OF TRADE

LONDON: H.M.S.O. 1901

The Board of Trade has the pleasure to announce that the work of the Board during the year 1900 has been carried out in accordance with the programme of work approved by the Board at its meeting on the 10th January 1900. The Board has been particularly busy in the consideration of the various matters which have come before it, and has been able to deal with a large number of them. The Board has also been able to carry out a large amount of the work which has been assigned to it by the Government. The Board has been particularly busy in the consideration of the various matters which have come before it, and has been able to deal with a large number of them. The Board has also been able to carry out a large amount of the work which has been assigned to it by the Government.

The Board has been particularly busy in the consideration of the various matters which have come before it, and has been able to deal with a large number of them. The Board has also been able to carry out a large amount of the work which has been assigned to it by the Government. The Board has been particularly busy in the consideration of the various matters which have come before it, and has been able to deal with a large number of them. The Board has also been able to carry out a large amount of the work which has been assigned to it by the Government.

The Board has been particularly busy in the consideration of the various matters which have come before it, and has been able to deal with a large number of them. The Board has also been able to carry out a large amount of the work which has been assigned to it by the Government. The Board has been particularly busy in the consideration of the various matters which have come before it, and has been able to deal with a large number of them. The Board has also been able to carry out a large amount of the work which has been assigned to it by the Government.

The Board has been particularly busy in the consideration of the various matters which have come before it, and has been able to deal with a large number of them. The Board has also been able to carry out a large amount of the work which has been assigned to it by the Government. The Board has been particularly busy in the consideration of the various matters which have come before it, and has been able to deal with a large number of them. The Board has also been able to carry out a large amount of the work which has been assigned to it by the Government.

LY98 Antelope Response Data Summary, Hunter Effort and Success

This summary is derived by combining Antelope survey responses from the effort questions asked of active hunters:

- In which district(s) did you hunt Antelope?
- How many days did you spend hunting for Antelope in each district?

with the success question regarding harvest:

- How many antelope did you harvest?

Loc = Location. STA=Statewide, R01..R07 = Region (R09 = Unknown), ###=Antelope hunting district.

Res = Residency class. N=non-residents, R=residents, All=both residency classes.

Responding Hunters = Number of responding sportspersons reporting active hunting.

Responding Successful = Number of responding active hunters successful in harvesting one or more Antelope.

Reported Harvest = Number of Antelope harvested by successful Antelope survey respondents.

Hunter Days = Sum of hunter days reported by responding active hunters.

Percent Success = Ratio of successful hunters to active hunters * 100. Percent of active hunters succeeding in taking one or more Antelope.

Kill Per Hunter = Ratio of reported harvest to active hunters. An estimate of the average number of Antelope harvested per active hunter.

Kill Per Successful = Ratio of reported harvest to successful hunters. An estimate of the average number of Antelope harvested per successful hunter.

Days To Harvest = Ratio of hunter days to reported harvest. An estimate of the average number of hunter days required to harvest an Antelope.

Tables are presented at the Statewide and Regional level, then at the Hunting District Level.

If there were no successful respondents within a location and residency class, then columns relating to hunting success will be blank.

LY98 Antelope Response Data Summary, Hunter Effort and Success
Statewide and Regional, By Residency

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
STA	ALL	9,485	6,312	6,541	26,775	66.5	0.690	1.036	4.1
	R	8,138	5,244	5,354	22,082	64.4	0.658	1.021	4.1
	N	1,347	1,068	1,187	4,693	79.3	0.881	1.111	4.0
R03	ALL	2,067	1,220	1,221	5,953	59.0	0.591	1.001	4.9
	R	1,961	1,149	1,150	5,607	58.6	0.586	1.001	4.9
	N	106	71	71	346	67.0	0.670	1.000	4.9
R04	ALL	1,041	725	726	2,904	69.6	0.697	1.001	4.0
	R	979	681	682	2,710	69.6	0.697	1.001	4.0
	N	62	44	44	194	71.0	0.710	1.000	4.4
R05	ALL	2,275	1,579	1,581	5,462	69.4	0.695	1.001	3.5
	R	2,036	1,376	1,377	4,721	67.6	0.676	1.001	3.4
	N	239	203	204	741	84.9	0.854	1.005	3.6
R06	ALL	1,141	712	713	3,344	62.4	0.625	1.001	4.7
	R	993	601	602	2,812	60.5	0.606	1.002	4.7
	N	148	111	111	532	75.0	0.750	1.000	4.8
R07	ALL	2,967	2,068	2,287	9,011	69.7	0.771	1.106	3.9
	R	2,176	1,435	1,537	6,164	65.9	0.706	1.071	4.0
	N	791	633	750	2,847	80.0	0.948	1.185	3.8
R09	ALL	29	12	13	101	41.4	0.448	1.083	7.8
	R	17	6	6	68	35.3	0.353	1.000	11.3
	N	12	6	7	33	50.0	0.583	1.167	4.7

**LY98 Antelope Response Data Summary, Hunter Effort and Success
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
300	ALL	157	90	90	421	57.3	0.573	1.000	4.7
	R	146	82	82	384	56.2	0.562	1.000	4.7
	N	11	8	8	37	72.7	0.727	1.000	4.6
301	ALL	54	24	24	110	44.4	0.444	1.000	4.6
	R	47	21	21	96	44.7	0.447	1.000	4.6
	N	7	3	3	14	42.9	0.429	1.000	4.7
310	ALL	229	143	143	655	62.4	0.624	1.000	4.6
	R	219	138	138	610	63.0	0.630	1.000	4.4
	N	10	5	5	45	50.0	0.500	1.000	9.0
311	ALL	44	28	28	120	63.6	0.636	1.000	4.3
	R	44	28	28	120	63.6	0.636	1.000	4.3
313	ALL	3	3	3	4	100.0	1.000	1.000	1.3
	R	3	3	3	4	100.0	1.000	1.000	1.3
318	ALL	91	38	38	216	41.8	0.418	1.000	5.7
	R	89	37	37	203	41.6	0.416	1.000	5.5
	N	2	1	1	13	50.0	0.500	1.000	13.0
319	ALL	25	18	18	71	72.0	0.720	1.000	3.9
	R	25	18	18	71	72.0	0.720	1.000	3.9
320	ALL	169	103	104	526	60.9	0.615	1.010	5.1
	R	160	96	97	477	60.0	0.606	1.010	4.9
	N	9	7	7	49	77.8	0.778	1.000	7.0
321	ALL	151	93	93	371	61.6	0.616	1.000	4.0
	R	146	88	88	362	60.3	0.603	1.000	4.1
	N	5	5	5	9	100.0	1.000	1.000	1.8
329	ALL	115	67	67	329	58.3	0.583	1.000	4.9
	R	111	66	66	320	59.5	0.595	1.000	4.8
	N	4	1	1	9	25.0	0.250	1.000	9.0
330	ALL	148	86	86	373	58.1	0.581	1.000	4.3
	R	135	78	78	327	57.8	0.578	1.000	4.2
	N	13	8	8	46	61.5	0.615	1.000	5.8
338	ALL	93	55	55	312	59.1	0.591	1.000	5.7
	R	87	52	52	299	59.8	0.598	1.000	5.8
	N	6	3	3	13	50.0	0.500	1.000	4.3
339	ALL	91	62	62	197	68.1	0.681	1.000	3.2
	R	86	57	57	188	66.3	0.663	1.000	3.3
	N	5	5	5	9	100.0	1.000	1.000	1.8
340	ALL	47	20	20	151	42.6	0.426	1.000	7.6
	R	43	19	19	146	44.2	0.442	1.000	7.7
	N	4	1	1	5	25.0	0.250	1.000	5.0
341	ALL	100	48	48	298	48.0	0.480	1.000	6.2
	R	96	45	45	292	46.9	0.469	1.000	6.5
	N	4	3	3	6	75.0	0.750	1.000	2.0
350	ALL	55	23	23	152	41.8	0.418	1.000	6.6
	R	54	22	22	150	40.7	0.407	1.000	6.8
	N	1	1	1	2	100.0	1.000	1.000	2.0

**LY98 Antelope Response Data Summary, Hunter Effort and Success
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
360	ALL	165	116	116	437	70.3	0.703	1.000	3.8
	R	145	99	99	371	68.3	0.683	1.000	3.7
	N	20	17	17	66	85.0	0.850	1.000	3.9
<hr/>									
370	ALL	83	42	42	383	50.6	0.506	1.000	9.1
	R	82	41	41	377	50.0	0.500	1.000	9.2
	N	1	1	1	6	100.0	1.000	1.000	6.0
<hr/>									
371	ALL	31	19	19	106	61.3	0.613	1.000	5.6
	R	31	19	19	106	61.3	0.613	1.000	5.6
<hr/>									
380	ALL	121	79	79	404	65.3	0.653	1.000	5.1
	R	120	78	78	402	65.0	0.650	1.000	5.2
	N	1	1	1	2	100.0	1.000	1.000	2.0
<hr/>									
381	ALL	14	9	9	29	64.3	0.643	1.000	3.2
	R	14	9	9	29	64.3	0.643	1.000	3.2
<hr/>									
390	ALL	61	38	38	172	62.3	0.623	1.000	4.5
	R	60	37	37	169	61.7	0.617	1.000	4.6
	N	1	1	1	3	100.0	1.000	1.000	3.0
<hr/>									
399	ALL	35	16	16	116	45.7	0.457	1.000	7.3
	R	33	16	16	104	48.5	0.485	1.000	6.5
	N	2			12				
<hr/>									
401	ALL	131	88	89	356	67.2	0.679	1.011	4.0
	R	131	88	89	356	67.2	0.679	1.011	4.0
<hr/>									
404	ALL	54	31	31	185	57.4	0.574	1.000	6.0
	R	53	30	30	184	56.6	0.566	1.000	6.1
	N	1	1	1	1	100.0	1.000	1.000	1.0
<hr/>									
413	ALL	45	26	26	128	57.8	0.578	1.000	4.9
	R	42	24	24	124	57.1	0.571	1.000	5.2
	N	3	2	2	4	66.7	0.667	1.000	2.0
<hr/>									
420	ALL	27	21	21	94	77.8	0.778	1.000	4.5
	R	24	19	19	80	79.2	0.792	1.000	4.2
	N	3	2	2	14	66.7	0.667	1.000	7.0
<hr/>									
430	ALL	82	64	64	177	78.0	0.780	1.000	2.8
	R	77	60	60	160	77.9	0.779	1.000	2.7
	N	5	4	4	17	80.0	0.800	1.000	4.3
<hr/>									
440	ALL	33	23	23	145	69.7	0.697	1.000	6.3
	R	32	23	23	144	71.9	0.719	1.000	6.3
	N	1			1				
<hr/>									
444	ALL	32	26	26	53	81.3	0.813	1.000	2.0
	R	31	25	25	50	80.6	0.806	1.000	2.0
	N	1	1	1	3	100.0	1.000	1.000	3.0
<hr/>									
450	ALL	145	108	108	379	74.5	0.745	1.000	3.5
	R	133	98	98	351	73.7	0.737	1.000	3.6
	N	12	10	10	28	83.3	0.833	1.000	2.8

**LY98 Antelope Response Data Summary, Hunter Effort and Success
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
455	ALL	1			1				
	R	1			1				
<hr/>									
470	ALL	52	33	33	141	63.5	0.635	1.000	4.3
	R	50	32	32	134	64.0	0.640	1.000	4.2
	N	2	1	1	7	50.0	0.500	1.000	7.0
<hr/>									
471	ALL	47	33	33	135	70.2	0.702	1.000	4.1
	R	43	30	30	127	69.8	0.698	1.000	4.2
	N	4	3	3	8	75.0	0.750	1.000	2.7
<hr/>									
473	ALL	24	16	16	84	66.7	0.667	1.000	5.3
	R	22	15	15	79	68.2	0.682	1.000	5.3
	N	2	1	1	5	50.0	0.500	1.000	5.0
<hr/>									
480	ALL	142	95	95	442	66.9	0.669	1.000	4.7
	R	127	87	87	381	68.5	0.685	1.000	4.4
	N	15	8	8	61	53.3	0.533	1.000	7.6
<hr/>									
481	ALL	59	38	38	199	64.4	0.644	1.000	5.2
	R	55	36	36	190	65.5	0.655	1.000	5.3
	N	4	2	2	9	50.0	0.500	1.000	4.5
<hr/>									
490	ALL	85	63	63	196	74.1	0.741	1.000	3.1
	R	80	59	59	178	73.8	0.738	1.000	3.0
	N	5	4	4	18	80.0	0.800	1.000	4.5
<hr/>									
491	ALL	73	47	47	143	64.4	0.644	1.000	3.0
	R	67	43	43	126	64.2	0.642	1.000	2.9
	N	6	4	4	17	66.7	0.667	1.000	4.3
<hr/>									
499	ALL	17	13	13	46	76.5	0.765	1.000	3.5
	R	16	12	12	45	75.0	0.750	1.000	3.8
	N	1	1	1	1	100.0	1.000	1.000	1.0
<hr/>									
500	ALL	145	108	108	304	74.5	0.745	1.000	2.8
	R	132	99	99	271	75.0	0.750	1.000	2.7
	N	13	9	9	33	69.2	0.692	1.000	3.7
<hr/>									
501	ALL	186	148	148	445	79.6	0.796	1.000	3.0
	R	161	127	127	351	78.9	0.789	1.000	2.8
	N	25	21	21	94	84.0	0.840	1.000	4.5
<hr/>									
510	ALL	158	114	114	377	72.2	0.722	1.000	3.3
	R	136	95	95	302	69.9	0.699	1.000	3.2
	N	22	19	19	75	86.4	0.864	1.000	3.9
<hr/>									
511	ALL	132	96	96	313	72.7	0.727	1.000	3.3
	R	126	90	90	300	71.4	0.714	1.000	3.3
	N	6	6	6	13	100.0	1.000	1.000	2.2
<hr/>									
512	ALL	49	28	28	109	57.1	0.571	1.000	3.9
	R	47	26	26	102	55.3	0.553	1.000	3.9
	N	2	2	2	7	100.0	1.000	1.000	3.5
<hr/>									
513	ALL	252	165	165	637	65.5	0.655	1.000	3.9
	R	216	134	134	547	62.0	0.620	1.000	4.1
	N	36	31	31	90	86.1	0.861	1.000	2.9

**LY98 Antelope Response Data Summary, Hunter Effort and Success
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
514	ALL	46	21	21	134	45.7	0.457	1.000	6.4
	R	43	20	20	126	46.5	0.465	1.000	6.3
	N	3	1	1	8	33.3	0.333	1.000	8.0
<hr/>									
530	ALL	336	245	247	826	72.9	0.735	1.008	3.3
	R	274	187	188	644	68.2	0.686	1.005	3.4
	N	62	58	59	182	93.5	0.952	1.017	3.1
<hr/>									
540	ALL	47	26	26	149	55.3	0.553	1.000	5.7
	R	46	26	26	146	56.5	0.565	1.000	5.6
	N	1			3				
<hr/>									
550	ALL	148	106	106	399	71.6	0.716	1.000	3.8
	R	136	97	97	340	71.3	0.713	1.000	3.5
	N	12	9	9	59	75.0	0.750	1.000	6.6
<hr/>									
560	ALL	216	143	143	527	66.2	0.662	1.000	3.7
	R	206	134	134	495	65.0	0.650	1.000	3.7
	N	10	9	9	32	90.0	0.900	1.000	3.6
<hr/>									
570	ALL	184	130	130	406	70.7	0.707	1.000	3.1
	R	162	115	115	338	71.0	0.710	1.000	2.9
	N	22	15	15	68	68.2	0.682	1.000	4.5
<hr/>									
571	ALL	154	106	106	324	68.8	0.688	1.000	3.1
	R	147	99	99	303	67.3	0.673	1.000	3.1
	N	7	7	7	21	100.0	1.000	1.000	3.0
<hr/>									
572	ALL	50	32	32	129	64.0	0.640	1.000	4.0
	R	48	31	31	122	64.6	0.646	1.000	3.9
	N	2	1	1	7	50.0	0.500	1.000	7.0
<hr/>									
590	ALL	170	106	106	355	62.4	0.624	1.000	3.3
	R	152	91	91	307	59.9	0.599	1.000	3.4
	N	18	15	15	48	83.3	0.833	1.000	3.2
<hr/>									
599	ALL	11	5	5	28	45.5	0.455	1.000	5.6
	R	10	5	5	27	50.0	0.500	1.000	5.4
	N	1			1				
<hr/>									
600	ALL	181	135	136	466	74.6	0.751	1.007	3.4
	R	163	121	122	407	74.2	0.748	1.008	3.3
	N	18	14	14	59	77.8	0.778	1.000	4.2
<hr/>									
610	ALL	69	46	46	250	66.7	0.667	1.000	5.4
	R	65	44	44	229	67.7	0.677	1.000	5.2
	N	4	2	2	21	50.0	0.500	1.000	10.5
<hr/>									
620	ALL	221	137	137	673	62.0	0.620	1.000	4.9
	R	177	102	102	524	57.6	0.576	1.000	5.1
	N	44	35	35	149	79.5	0.795	1.000	4.3
<hr/>									
630	ALL	74	36	36	285	48.6	0.486	1.000	7.9
	R	65	30	30	242	46.2	0.462	1.000	8.1
	N	9	6	6	43	66.7	0.667	1.000	7.2

**LY98 Antelope Response Data Summary, Hunter Effort and Success
By Hunting District and Residency**

Loc	Res	Responding Hunters	Responding Successful	Reported Harvest	Hunter Days	Percent Success	Kill Per Hunter	Kill Per Successful	Days To Harvest
<hr/>									
640	ALL	48	13	13	161	27.1	0.271	1.000	12.4
	R	44	12	12	141	27.3	0.273	1.000	11.8
	N	4	1	1	20	25.0	0.250	1.000	20.0
<hr/>									
650	ALL	168	105	105	474	62.5	0.625	1.000	4.5
	R	138	79	79	397	57.2	0.572	1.000	5.0
	N	30	26	26	77	86.7	0.867	1.000	3.0
<hr/>									
651	ALL	61	43	43	170	70.5	0.705	1.000	4.0
	R	58	42	42	157	72.4	0.724	1.000	3.7
	N	3	1	1	13	33.3	0.333	1.000	13.0
<hr/>									
670	ALL	99	50	50	276	50.5	0.505	1.000	5.5
	R	87	42	42	234	48.3	0.483	1.000	5.6
	N	12	8	8	42	66.7	0.667	1.000	5.3
<hr/>									
690	ALL	222	145	145	567	65.3	0.653	1.000	3.9
	R	192	128	128	464	66.7	0.667	1.000	3.6
	N	30	17	17	103	56.7	0.567	1.000	6.1
<hr/>									
699	ALL	8	2	2	22	25.0	0.250	1.000	11.0
	R	6	1	1	17	16.7	0.167	1.000	17.0
	N	2	1	1	5	50.0	0.500	1.000	5.0
<hr/>									
700	ALL	752	510	576	2,197	67.8	0.766	1.129	3.8
	R	611	408	447	1,682	66.8	0.732	1.096	3.8
	N	141	102	129	515	72.3	0.915	1.265	4.0
<hr/>									
701	ALL	1,000	681	744	2,718	68.1	0.744	1.093	3.7
	R	745	491	522	1,893	65.9	0.701	1.063	3.6
	N	255	190	222	825	74.5	0.871	1.168	3.7
<hr/>									
702	ALL	174	101	107	448	58.0	0.615	1.059	4.2
	R	146	84	89	377	57.5	0.610	1.060	4.2
	N	28	17	18	71	60.7	0.643	1.059	3.9
<hr/>									
703	ALL	357	200	217	1,142	56.0	0.608	1.085	5.3
	R	290	163	172	932	56.2	0.593	1.055	5.4
	N	67	37	45	210	55.2	0.672	1.216	4.7
<hr/>									
704	ALL	297	195	206	892	65.7	0.694	1.056	4.3
	R	190	124	129	525	65.3	0.679	1.040	4.1
	N	107	71	77	367	66.4	0.720	1.085	4.8
<hr/>									
705	ALL	538	385	435	1,605	71.6	0.809	1.130	3.7
	R	262	167	177	752	63.7	0.676	1.060	4.2
	N	276	218	258	853	79.0	0.935	1.183	3.3
<hr/>									
799	ALL	3	2	2	9	66.7	0.667	1.000	4.5
	R	2	1	1	3	50.0	0.500	1.000	3.0
	N	1	1	1	6	100.0	1.000	1.000	6.0
<hr/>									
999	ALL	29	12	13	101	41.4	0.448	1.083	7.8
	R	17	6	6	68	35.3	0.353	1.000	11.3
	N	12	6	7	33	50.0	0.583	1.167	4.7

LY98 Antelope Response Data Summary, Hunter Effort Data

This summary is derived from the survey questions asked of active Antelope hunters:

- In which district(s) did you hunt Antelope?
- How many days did you spend hunting for Antelope in each district?

Loc = Location. STA=Statewide, R01..R07 = Region (R09 = Unknown), ###=Antelope hunting district.

Res = Residency class. N=non-residents, R=residents, All=both residency classes.

Responding Hunters = Number of responding sportspersons reporting active hunting.

Districts Hunted = Sum of number of individual hunting districts where hunters reported Antelope hunting. This is only meaningful at the Statewide and Regional levels.

Hunter Days = Sum of hunter days reported by responding active hunters.

Districts Per Hunter = Ratio of districts hunted to responding hunters. An estimate of the average number of districts hunted by an individual Antelope hunter. This is only meaningful at the Statewide and Regional levels.

Days Per Hunter = Ratio of hunter days to responding hunters. An estimate of the average number of hunter days per individual Antelope hunter.

Days Per District = Ratio of hunter days to number of districts hunted. An estimate of the average number of days an individual hunter spends hunting in a single district. This is only meaningful at the Statewide and Regional levels.

Tables are presented at the Statewide and Regional level, then at the Hunting District Level.

LY98 Antelope Response Data Summary, Hunter Effort Data
Statewide and Regional, By Residency

		Responding	Districts	Hunter	Districts	Days Per	Days Per
Loc	Res	Hunters	Hunted	Days	Per Hunter	Hunter	District
---	---	-----	-----	-----	-----	-----	-----
STA	ALL	9,485	9,716	26,775	1.02	2.82	2.76
	R	8,138	8,260	22,082	1.01	2.71	2.67
	N	1,347	1,456	4,693	1.08	3.48	3.22
R03	ALL	2,067	2,082	5,953	1.01	2.88	2.86
	R	1,961	1,976	5,607	1.01	2.86	2.84
	N	106	106	346	1.00	3.26	3.26
R04	ALL	1,041	1,049	2,904	1.01	2.79	2.77
	R	979	984	2,710	1.01	2.77	2.75
	N	62	65	194	1.05	3.13	2.98
R05	ALL	2,275	2,284	5,462	1.00	2.40	2.39
	R	2,036	2,042	4,721	1.00	2.32	2.31
	N	239	242	741	1.01	3.10	3.06
R06	ALL	1,141	1,151	3,344	1.01	2.93	2.91
	R	993	995	2,812	1.00	2.83	2.83
	N	148	156	532	1.05	3.59	3.41
R07	ALL	2,967	3,121	9,011	1.05	3.04	2.89
	R	2,176	2,246	6,164	1.03	2.83	2.74
	N	791	875	2,847	1.11	3.60	3.25
R09	ALL	29	29	101	1.00	3.48	3.48
	R	17	17	68	1.00	4.00	4.00
	N	12	12	33	1.00	2.75	2.75

**LY98 Antelope Response Data Summary, Hunter Effort Data
By Hunting District and Residency**

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
300	ALL	157	421	2.68
	R	146	384	2.63
	N	11	37	3.36
301	ALL	54	110	2.04
	R	47	96	2.04
	N	7	14	2.00
310	ALL	229	655	2.86
	R	219	610	2.79
	N	10	45	4.50
311	ALL	44	120	2.73
	R	44	120	2.73
313	ALL	3	4	1.33
	R	3	4	1.33
318	ALL	91	216	2.37
	R	89	203	2.28
	N	2	13	6.50
319	ALL	25	71	2.84
	R	25	71	2.84
320	ALL	169	526	3.11
	R	160	477	2.98
	N	9	49	5.44
321	ALL	151	371	2.46
	R	146	362	2.48
	N	5	9	1.80
329	ALL	115	329	2.86
	R	111	320	2.88
	N	4	9	2.25
330	ALL	148	373	2.52
	R	135	327	2.42
	N	13	46	3.54
338	ALL	93	312	3.35
	R	87	299	3.44
	N	6	13	2.17
339	ALL	91	197	2.16
	R	86	188	2.19
	N	5	9	1.80
340	ALL	47	151	3.21
	R	43	146	3.40
	N	4	5	1.25
341	ALL	100	298	2.98
	R	96	292	3.04
	N	4	6	1.50

LY98 Antelope Response Data Summary, Hunter Effort Data
By Hunting District and Residency

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
350	ALL	55	152	2.76
	R	54	150	2.78
	N	1	2	2.00
360	ALL	165	437	2.65
	R	145	371	2.56
	N	20	66	3.30
370	ALL	83	383	4.61
	R	82	377	4.60
	N	1	6	6.00
371	ALL	31	106	3.42
	R	31	106	3.42
380	ALL	121	404	3.34
	R	120	402	3.35
	N	1	2	2.00
381	ALL	14	29	2.07
	R	14	29	2.07
390	ALL	61	172	2.82
	R	60	169	2.82
	N	1	3	3.00
399	ALL	35	116	3.31
	R	33	104	3.15
	N	2	12	6.00
401	ALL	131	356	2.72
	R	131	356	2.72
404	ALL	54	185	3.43
	R	53	184	3.47
	N	1	1	1.00
413	ALL	45	128	2.84
	R	42	124	2.95
	N	3	4	1.33
420	ALL	27	94	3.48
	R	24	80	3.33
	N	3	14	4.67
430	ALL	82	177	2.16
	R	77	160	2.08
	N	5	17	3.40
440	ALL	33	145	4.39
	R	32	144	4.50
	N	1	1	1.00
444	ALL	32	53	1.66
	R	31	50	1.61
	N	1	3	3.00

LY98 Antelope Response Data Summary, Hunter Effort Data
By Hunting District and Residency

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
450	ALL	145	379	2.61
	R	133	351	2.64
	N	12	28	2.33
455	ALL	1	1	1.00
	R	1	1	1.00
470	ALL	52	141	2.71
	R	50	134	2.68
	N	2	7	3.50
471	ALL	47	135	2.87
	R	43	127	2.95
	N	4	8	2.00
473	ALL	24	84	3.50
	R	22	79	3.59
	N	2	5	2.50
480	ALL	142	442	3.11
	R	127	381	3.00
	N	15	61	4.07
481	ALL	59	199	3.37
	R	55	190	3.45
	N	4	9	2.25
490	ALL	85	196	2.31
	R	80	178	2.23
	N	5	18	3.60
491	ALL	73	143	1.96
	R	67	126	1.88
	N	6	17	2.83
499	ALL	17	46	2.71
	R	16	45	2.81
	N	1	1	1.00
500	ALL	145	304	2.10
	R	132	271	2.05
	N	13	33	2.54
501	ALL	186	445	2.39
	R	161	351	2.18
	N	25	94	3.76
510	ALL	158	377	2.39
	R	136	302	2.22
	N	22	75	3.41
511	ALL	132	313	2.37
	R	126	300	2.38
	N	6	13	2.17
512	ALL	49	109	2.22
	R	47	102	2.17
	N	2	7	3.50

**LY98 Antelope Response Data Summary, Hunter Effort Data
By Hunting District and Residency**

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
513	ALL	252	637	2.53
	R	216	547	2.53
	N	36	90	2.50
514	ALL	46	134	2.91
	R	43	126	2.93
	N	3	8	2.67
530	ALL	336	826	2.46
	R	274	644	2.35
	N	62	182	2.94
540	ALL	47	149	3.17
	R	46	146	3.17
	N	1	3	3.00
550	ALL	148	399	2.70
	R	136	340	2.50
	N	12	59	4.92
560	ALL	216	527	2.44
	R	206	495	2.40
	N	10	32	3.20
570	ALL	184	406	2.21
	R	162	338	2.09
	N	22	68	3.09
571	ALL	154	324	2.10
	R	147	303	2.06
	N	7	21	3.00
572	ALL	50	129	2.58
	R	48	122	2.54
	N	2	7	3.50
590	ALL	170	355	2.09
	R	152	307	2.02
	N	18	48	2.67
599	ALL	11	28	2.55
	R	10	27	2.70
	N	1	1	1.00
600	ALL	181	466	2.57
	R	163	407	2.50
	N	18	59	3.28
610	ALL	69	250	3.62
	R	65	229	3.52
	N	4	21	5.25
620	ALL	221	673	3.05
	R	177	524	2.96
	N	44	149	3.39

**LY98 Antelope Response Data Summary, Hunter Effort Data
By Hunting District and Residency**

Loc	Res	Responding Hunters	Hunter Days	Days Per Hunter
630	ALL	74	285	3.85
	R	65	242	3.72
	N	9	43	4.78
640	ALL	48	161	3.35
	R	44	141	3.20
	N	4	20	5.00
650	ALL	168	474	2.82
	R	138	397	2.88
	N	30	77	2.57
651	ALL	61	170	2.79
	R	58	157	2.71
	N	3	13	4.33
670	ALL	99	276	2.79
	R	87	234	2.69
	N	12	42	3.50
690	ALL	222	567	2.55
	R	192	464	2.42
	N	30	103	3.43
699	ALL	8	22	2.75
	R	6	17	2.83
	N	2	5	2.50
700	ALL	752	2,197	2.92
	R	611	1,682	2.75
	N	141	515	3.65
701	ALL	1,000	2,718	2.72
	R	745	1,893	2.54
	N	255	825	3.24
702	ALL	174	448	2.57
	R	146	377	2.58
	N	28	71	2.54
703	ALL	357	1,142	3.20
	R	290	932	3.21
	N	67	210	3.13
704	ALL	297	892	3.00
	R	190	525	2.76
	N	107	367	3.43
705	ALL	538	1,605	2.98
	R	262	752	2.87
	N	276	853	3.09
799	ALL	3	9	3.00
	R	2	3	1.50
	N	1	6	6.00
999	ALL	29	101	3.48
	R	17	68	4.00
	N	12	33	2.75

LY98 Antelope Response Data Summary, Hunter Success and Kill by Sex-Age Class

This summary is derived from survey questions asked of successful Antelope hunters. For each of up to three kills, the following questions were asked:

- In which district did you kill your Antelope?
- What was the sex-age class? (U=Unknown, Y=Fawn, F=Doe, M=Buck)

Loc = Location. STA=Statewide, R01..R07 = Region (R09 = Unknown), ###=Antelope hunting district.

Res = Residency class. N=non-residents, R=residents, All=both residency classes.

Responding Hunters = Number of responding sportspersons reporting active hunting.

Reported Harvest = Number of Antelope harvested by successful Antelope survey respondents.

Kill Per Successful = Ratio of reported harvest to successful hunters. An estimate of the average number of Antelope harvested per successful hunter.

Reported Unknown = Number of unknown sex-age class harvested by successful Antelope survey respondents.

Reported Fawn = Number of fawn sex-age class harvested by successful Antelope survey respondents.

Reported Doe = Number of doe sex-age class harvested by successful Antelope survey respondents.

Reported Buck = Number of buck sex-age class harvested by successful Antelope survey respondents.

Pcnt Unkn = An estimate of the percent harvest of unknown sex-age class.

Pcnt Fawn = An estimate of the percent harvest of sex-age class fawn.

Pcnt Doe = An estimate of the percent harvest of sex-age class doe.

Pcnt Buck = An estimate of the percent harvest of sex-age class buck.

Tables are presented at the Statewide and Regional level, then at the Hunting District Level.

**LY98 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class
Statewide and Regional, by Residency**

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
STA	ALL	6,312	6,541	1.036	30	189	1,759	4,563	0.5	2.9	26.9	69.8
	R	5,244	5,354	1.021	16	143	1,493	3,702	0.3	2.7	27.9	69.1
	N	1,068	1,187	1.111	14	46	266	861	1.2	3.9	22.4	72.5
R03	ALL	1,220	1,221	1.001	4	37	466	714	0.3	3.0	38.2	58.5
	R	1,149	1,150	1.001	4	36	449	661	0.3	3.1	39.0	57.5
	N	71	71	1.000	0	1	17	53	0.0	1.4	23.9	74.6
R04	ALL	725	726	1.001	5	12	121	588	0.7	1.7	16.7	81.0
	R	681	682	1.001	4	11	116	551	0.6	1.6	17.0	80.8
	N	44	44	1.000	1	1	5	37	2.3	2.3	11.4	84.1
R05	ALL	1,579	1,581	1.001	5	45	427	1,104	0.3	2.8	27.0	69.8
	R	1,376	1,377	1.001	3	41	393	940	0.2	3.0	28.5	68.3
	N	203	204	1.005	2	4	34	164	1.0	2.0	16.7	80.4
R06	ALL	712	713	1.001	5	13	129	566	0.7	1.8	18.1	79.4
	R	601	602	1.002	2	10	110	480	0.3	1.7	18.3	79.7
	N	111	111	1.000	3	3	19	86	2.7	2.7	17.1	77.5
R07	ALL	2,068	2,287	1.106	11	80	615	1,581	0.5	3.5	26.9	69.1
	R	1,435	1,537	1.071	3	44	424	1,066	0.2	2.9	27.6	69.4
	N	633	750	1.185	8	36	191	515	1.1	4.8	25.5	68.7
R09	ALL	12	13	1.083	0	2	1	10	0.0	15.4	7.7	76.9
	R	6	6	1.000	0	1	1	4	0.0	16.7	16.7	66.7
	N	6	7	1.167	0	1	0	6	0.0	14.3	0.0	85.7

**LY98 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class
By Hunting District and Residency**

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
300	ALL	90	90	1.000	0	5	21	64	0.0	5.6	23.3	71.1
	R	82	82	1.000	0	4	20	58	0.0	4.9	24.4	70.7
	N	8	8	1.000	0	1	1	6	0.0	12.5	12.5	75.0
301	ALL	24	24	1.000	0	1	7	16	0.0	4.2	29.2	66.7
	R	21	21	1.000	0	1	6	14	0.0	4.8	28.6	66.7
	N	3	3	1.000	0	0	1	2	0.0	0.0	33.3	66.7
310	ALL	143	143	1.000	0	6	84	53	0.0	4.2	58.7	37.1
	R	138	138	1.000	0	6	82	50	0.0	4.3	59.4	36.2
	N	5	5	1.000	0	0	2	3	0.0	0.0	40.0	60.0
311	ALL	28	28	1.000	0	1	6	21	0.0	3.6	21.4	75.0
	R	28	28	1.000	0	1	6	21	0.0	3.6	21.4	75.0
313	ALL	3	3	1.000	0	0	1	2	0.0	0.0	33.3	66.7
	R	3	3	1.000	0	0	1	2	0.0	0.0	33.3	66.7
318	ALL	38	38	1.000	0	1	8	29	0.0	2.6	21.1	76.3
	R	37	37	1.000	0	1	8	28	0.0	2.7	21.6	75.7
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
319	ALL	18	18	1.000	0	1	5	12	0.0	5.6	27.8	66.7
	R	18	18	1.000	0	1	5	12	0.0	5.6	27.8	66.7
320	ALL	103	104	1.010	2	4	43	55	1.9	3.8	41.3	52.9
	R	96	97	1.010	2	4	41	50	2.1	4.1	42.3	51.5
	N	7	7	1.000	0	0	2	5	0.0	0.0	28.6	71.4
321	ALL	93	93	1.000	0	4	36	53	0.0	4.3	38.7	57.0
	R	88	88	1.000	0	4	35	49	0.0	4.5	39.8	55.7
	N	5	5	1.000	0	0	1	4	0.0	0.0	20.0	80.0
329	ALL	67	67	1.000	0	1	19	47	0.0	1.5	28.4	70.1
	R	66	66	1.000	0	1	19	46	0.0	1.5	28.8	69.7
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
330	ALL	86	86	1.000	0	1	36	49	0.0	1.2	41.9	57.0
	R	78	78	1.000	0	1	34	43	0.0	1.3	43.6	55.1
	N	8	8	1.000	0	0	2	6	0.0	0.0	25.0	75.0
338	ALL	55	55	1.000	0	0	15	40	0.0	0.0	27.3	72.7
	R	52	52	1.000	0	0	14	38	0.0	0.0	26.9	73.1
	N	3	3	1.000	0	0	1	2	0.0	0.0	33.3	66.7
339	ALL	62	62	1.000	0	0	21	41	0.0	0.0	33.9	66.1
	R	57	57	1.000	0	0	20	37	0.0	0.0	35.1	64.9
	N	5	5	1.000	0	0	1	4	0.0	0.0	20.0	80.0
340	ALL	20	20	1.000	0	0	8	12	0.0	0.0	40.0	60.0
	R	19	19	1.000	0	0	7	12	0.0	0.0	36.8	63.2
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
341	ALL	48	48	1.000	0	0	15	33	0.0	0.0	31.3	68.8
	R	45	45	1.000	0	0	15	30	0.0	0.0	33.3	66.7
	N	3	3	1.000	0	0	0	3	0.0	0.0	0.0	100.0

**LY98 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class
By Hunting District and Residency**

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
350	ALL	23	23	1.000	0	0	8	15	0.0	0.0	34.8	65.2
	R	22	22	1.000	0	0	7	15	0.0	0.0	31.8	68.2
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
<hr/>												
360	ALL	116	116	1.000	1	1	39	75	0.9	0.9	33.6	64.7
	R	99	99	1.000	1	1	37	60	1.0	1.0	37.4	60.6
	N	17	17	1.000	0	0	2	15	0.0	0.0	11.8	88.2
<hr/>												
370	ALL	42	42	1.000	0	2	25	15	0.0	4.8	59.5	35.7
	R	41	41	1.000	0	2	24	15	0.0	4.9	58.5	36.6
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
<hr/>												
371	ALL	19	19	1.000	0	0	10	9	0.0	0.0	52.6	47.4
	R	19	19	1.000	0	0	10	9	0.0	0.0	52.6	47.4
<hr/>												
380	ALL	79	79	1.000	1	6	33	39	1.3	7.6	41.8	49.4
	R	78	78	1.000	1	6	33	38	1.3	7.7	42.3	48.7
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
<hr/>												
381	ALL	9	9	1.000	0	0	6	3	0.0	0.0	66.7	33.3
	R	9	9	1.000	0	0	6	3	0.0	0.0	66.7	33.3
<hr/>												
390	ALL	38	38	1.000	0	2	12	24	0.0	5.3	31.6	63.2
	R	37	37	1.000	0	2	11	24	0.0	5.4	29.7	64.9
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
<hr/>												
399	ALL	16	16	1.000	0	1	8	7	0.0	6.3	50.0	43.8
	R	16	16	1.000	0	1	8	7	0.0	6.3	50.0	43.8
<hr/>												
401	ALL	88	89	1.011	0	3	24	62	0.0	3.4	27.0	69.7
	R	88	89	1.011	0	3	24	62	0.0	3.4	27.0	69.7
<hr/>												
404	ALL	31	31	1.000	0	0	4	27	0.0	0.0	12.9	87.1
	R	30	30	1.000	0	0	3	27	0.0	0.0	10.0	90.0
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
<hr/>												
413	ALL	26	26	1.000	0	0	2	24	0.0	0.0	7.7	92.3
	R	24	24	1.000	0	0	2	22	0.0	0.0	8.3	91.7
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
<hr/>												
420	ALL	21	21	1.000	0	1	1	19	0.0	4.8	4.8	90.5
	R	19	19	1.000	0	1	1	17	0.0	5.3	5.3	89.5
	N	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
<hr/>												
430	ALL	64	64	1.000	0	1	10	53	0.0	1.6	15.6	82.8
	R	60	60	1.000	0	1	10	49	0.0	1.7	16.7	81.7
	N	4	4	1.000	0	0	0	4	0.0	0.0	0.0	100.0
<hr/>												
440	ALL	23	23	1.000	0	0	3	20	0.0	0.0	13.0	87.0
	R	23	23	1.000	0	0	3	20	0.0	0.0	13.0	87.0
<hr/>												
444	ALL	26	26	1.000	0	0	3	23	0.0	0.0	11.5	88.5
	R	25	25	1.000	0	0	3	22	0.0	0.0	12.0	88.0
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
<hr/>												
450	ALL	108	108	1.000	2	1	11	94	1.9	0.9	10.2	87.0
	R	98	98	1.000	2	1	10	85	2.0	1.0	10.2	86.7
	N	10	10	1.000	0	0	1	9	0.0	0.0	10.0	90.0

**LY98 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class
By Hunting District and Residency**

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Per Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
470	ALL	33	33	1.000	0	0	0	33	0.0	0.0	0.0	100.0
	R	32	32	1.000	0	0	0	32	0.0	0.0	0.0	100.0
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
<hr/>												
471	ALL	33	33	1.000	0	0	2	31	0.0	0.0	6.1	93.9
	R	30	30	1.000	0	0	2	28	0.0	0.0	6.7	93.3
	N	3	3	1.000	0	0	0	3	0.0	0.0	0.0	100.0
<hr/>												
473	ALL	16	16	1.000	0	0	1	15	0.0	0.0	6.3	93.8
	R	15	15	1.000	0	0	1	14	0.0	0.0	6.7	93.3
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
<hr/>												
480	ALL	95	95	1.000	2	0	15	78	2.1	0.0	15.8	82.1
	R	87	87	1.000	1	0	15	71	1.1	0.0	17.2	81.6
	N	8	8	1.000	1	0	0	7	12.5	0.0	0.0	87.5
<hr/>												
481	ALL	38	38	1.000	0	3	18	17	0.0	7.9	47.4	44.7
	R	36	36	1.000	0	2	17	17	0.0	5.6	47.2	47.2
	N	2	2	1.000	0	1	1	0	0.0	50.0	50.0	0.0
<hr/>												
490	ALL	63	63	1.000	0	2	6	55	0.0	3.2	9.5	87.3
	R	59	59	1.000	0	2	6	51	0.0	3.4	10.2	86.4
	N	4	4	1.000	0	0	0	4	0.0	0.0	0.0	100.0
<hr/>												
491	ALL	47	47	1.000	0	1	19	27	0.0	2.1	40.4	57.4
	R	43	43	1.000	0	1	17	25	0.0	2.3	39.5	58.1
	N	4	4	1.000	0	0	2	2	0.0	0.0	50.0	50.0
<hr/>												
499	ALL	13	13	1.000	1	0	2	10	7.7	0.0	15.4	76.9
	R	12	12	1.000	1	0	2	9	8.3	0.0	16.7	75.0
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
<hr/>												
500	ALL	108	108	1.000	0	5	30	73	0.0	4.6	27.8	67.6
	R	99	99	1.000	0	5	30	64	0.0	5.1	30.3	64.6
	N	9	9	1.000	0	0	0	9	0.0	0.0	0.0	100.0
<hr/>												
501	ALL	148	148	1.000	1	6	37	104	0.7	4.1	25.0	70.3
	R	127	127	1.000	0	6	33	88	0.0	4.7	26.0	69.3
	N	21	21	1.000	1	0	4	16	4.8	0.0	19.0	76.2
<hr/>												
510	ALL	114	114	1.000	1	2	42	69	0.9	1.8	36.8	60.5
	R	95	95	1.000	1	2	41	51	1.1	2.1	43.2	53.7
	N	19	19	1.000	0	0	1	18	0.0	0.0	5.3	94.7
<hr/>												
511	ALL	96	96	1.000	0	0	14	82	0.0	0.0	14.6	85.4
	R	90	90	1.000	0	0	14	76	0.0	0.0	15.6	84.4
	N	6	6	1.000	0	0	0	6	0.0	0.0	0.0	100.0
<hr/>												
512	ALL	28	28	1.000	0	0	10	18	0.0	0.0	35.7	64.3
	R	26	26	1.000	0	0	9	17	0.0	0.0	34.6	65.4
	N	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
<hr/>												
513	ALL	165	165	1.000	0	6	58	101	0.0	3.6	35.2	61.2
	R	134	134	1.000	0	3	48	83	0.0	2.2	35.8	61.9
	N	31	31	1.000	0	3	10	18	0.0	9.7	32.3	58.1
<hr/>												
514	ALL	21	21	1.000	0	0	7	14	0.0	0.0	33.3	66.7
	R	20	20	1.000	0	0	7	13	0.0	0.0	35.0	65.0
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0

**LY98 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class
By Hunting District and Residency**

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
<hr/>												
530	ALL	245	247	1.008	1	7	62	177	0.4	2.8	25.1	71.7
	R	187	188	1.005	1	6	51	130	0.5	3.2	27.1	69.1
	N	58	59	1.017	0	1	11	47	0.0	1.7	18.6	79.7
<hr/>												
540	ALL	26	26	1.000	0	1	6	19	0.0	3.8	23.1	73.1
	R	26	26	1.000	0	1	6	19	0.0	3.8	23.1	73.1
<hr/>												
550	ALL	106	106	1.000	0	0	25	81	0.0	0.0	23.6	76.4
	R	97	97	1.000	0	0	22	75	0.0	0.0	22.7	77.3
	N	9	9	1.000	0	0	3	6	0.0	0.0	33.3	66.7
<hr/>												
560	ALL	143	143	1.000	0	6	32	105	0.0	4.2	22.4	73.4
	R	134	134	1.000	0	6	32	96	0.0	4.5	23.9	71.6
	N	9	9	1.000	0	0	0	9	0.0	0.0	0.0	100.0
<hr/>												
570	ALL	130	130	1.000	1	6	38	85	0.8	4.6	29.2	65.4
	R	115	115	1.000	1	6	36	72	0.9	5.2	31.3	62.6
	N	15	15	1.000	0	0	2	13	0.0	0.0	13.3	86.7
<hr/>												
571	ALL	106	106	1.000	0	2	21	83	0.0	1.9	19.8	78.3
	R	99	99	1.000	0	2	21	76	0.0	2.0	21.2	76.8
	N	7	7	1.000	0	0	0	7	0.0	0.0	0.0	100.0
<hr/>												
572	ALL	32	32	1.000	0	0	13	19	0.0	0.0	40.6	59.4
	R	31	31	1.000	0	0	12	19	0.0	0.0	38.7	61.3
	N	1	1	1.000	0	0	1	0	0.0	0.0	100.0	0.0
<hr/>												
590	ALL	106	106	1.000	1	4	30	71	0.9	3.8	28.3	67.0
	R	91	91	1.000	0	4	29	58	0.0	4.4	31.9	63.7
	N	15	15	1.000	1	0	1	13	6.7	0.0	6.7	86.7
<hr/>												
599	ALL	5	5	1.000	0	0	2	3	0.0	0.0	40.0	60.0
	R	5	5	1.000	0	0	2	3	0.0	0.0	40.0	60.0
<hr/>												
600	ALL	135	136	1.007	1	3	25	107	0.7	2.2	18.4	78.7
	R	121	122	1.008	1	2	23	96	0.8	1.6	18.9	78.7
	N	14	14	1.000	0	1	2	11	0.0	7.1	14.3	78.6
<hr/>												
610	ALL	46	46	1.000	0	0	8	38	0.0	0.0	17.4	82.6
	R	44	44	1.000	0	0	7	37	0.0	0.0	15.9	84.1
	N	2	2	1.000	0	0	1	1	0.0	0.0	50.0	50.0
<hr/>												
620	ALL	137	137	1.000	1	4	18	114	0.7	2.9	13.1	83.2
	R	102	102	1.000	0	4	17	81	0.0	3.9	16.7	79.4
	N	35	35	1.000	1	0	1	33	2.9	0.0	2.9	94.3
<hr/>												
630	ALL	36	36	1.000	1	0	5	30	2.8	0.0	13.9	83.3
	R	30	30	1.000	1	0	4	25	3.3	0.0	13.3	83.3
	N	6	6	1.000	0	0	1	5	0.0	0.0	16.7	83.3
<hr/>												
640	ALL	13	13	1.000	0	2	2	9	0.0	15.4	15.4	69.2
	R	12	12	1.000	0	2	2	8	0.0	16.7	16.7	66.7
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
<hr/>												
650	ALL	105	105	1.000	1	2	18	84	1.0	1.9	17.1	80.0
	R	79	79	1.000	0	0	11	68	0.0	0.0	13.9	86.1
	N	26	26	1.000	1	2	7	16	3.8	7.7	26.9	61.5

LY98 Antelope Response Data Summary, Hunter Success and Kill By Sex-Age Class
By Hunting District and Residency

Loc	Res	Responding Successful	Reported Harvest	Kill Per Successful	Reported Unknown	Reported Fawn	Reported Doe	Reported Buck	Pcnt Unkn	Pcnt Fawn	Pcnt Doe	Pcnt Buck
651	ALL	43	43	1.000	0	0	9	34	0.0	0.0	20.9	79.1
	R	42	42	1.000	0	0	9	33	0.0	0.0	21.4	78.6
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
670	ALL	50	50	1.000	0	1	14	35	0.0	2.0	28.0	70.0
	R	42	42	1.000	0	1	10	31	0.0	2.4	23.8	73.8
	N	8	8	1.000	0	0	4	4	0.0	0.0	50.0	50.0
690	ALL	145	145	1.000	1	1	30	113	0.7	0.7	20.7	77.9
	R	128	128	1.000	0	1	27	100	0.0	0.8	21.1	78.1
	N	17	17	1.000	1	0	3	13	5.9	0.0	17.6	76.5
699	ALL	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
	R	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
700	ALL	510	576	1.129	4	25	189	358	0.7	4.3	32.8	62.2
	R	408	447	1.096	2	15	142	288	0.4	3.4	31.8	64.4
	N	102	129	1.265	2	10	47	70	1.6	7.8	36.4	54.3
701	ALL	681	744	1.093	6	28	187	523	0.8	3.8	25.1	70.3
	R	491	522	1.063	1	17	139	365	0.2	3.3	26.6	69.9
	N	190	222	1.168	5	11	48	158	2.3	5.0	21.6	71.2
702	ALL	101	107	1.059	0	1	26	80	0.0	0.9	24.3	74.8
	R	84	89	1.060	0	1	23	65	0.0	1.1	25.8	73.0
	N	17	18	1.059	0	0	3	15	0.0	0.0	16.7	83.3
703	ALL	200	217	1.085	0	4	58	155	0.0	1.8	26.7	71.4
	R	163	172	1.055	0	3	42	127	0.0	1.7	24.4	73.8
	N	37	45	1.216	0	1	16	28	0.0	2.2	35.6	62.2
704	ALL	195	206	1.056	1	7	46	152	0.5	3.4	22.3	73.8
	R	124	129	1.040	0	2	31	96	0.0	1.6	24.0	74.4
	N	71	77	1.085	1	5	15	56	1.3	6.5	19.5	72.7
705	ALL	385	435	1.130	0	15	109	311	0.0	3.4	25.1	71.5
	R	167	177	1.060	0	6	47	124	0.0	3.4	26.6	70.1
	N	218	258	1.183	0	9	62	187	0.0	3.5	24.0	72.5
799	ALL	2	2	1.000	0	0	0	2	0.0	0.0	0.0	100.0
	R	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
	N	1	1	1.000	0	0	0	1	0.0	0.0	0.0	100.0
999	ALL	12	13	1.083	0	2	1	10	0.0	15.4	7.7	76.9
	R	6	6	1.000	0	1	1	4	0.0	16.7	16.7	66.7
	N	6	7	1.167	0	1	0	6	0.0	14.3	0.0	85.7

LY98 Antelope Response Data Summary, Hunter Success and Kill by Time Period

This summary is derived from survey questions asked of successful Antelope hunters. For each of up to three kills, the following questions were asked:

- In which district did you kill your Antelope?
- In what time period did you kill your Antelope? (U=Unknown, 1=Pre-season, 2=Week 1, 3=Week 2, 4=Week 3, 5=Week 4)

Loc = Location. STA=Statewide, R01..R07 = Region (R09 = Unknown), ###=Antelope hunting district.

Res = Residency class. N=non-residents, R=residents, All=both residency classes.

Reported Harvest = Number of Antelope harvested by successful Antelope survey respondents.

Time Unkn = Number of harvested during an unknown time period by successful Antelope survey respondents.

Pre-season = Number of harvested during the pre-season time period by successful Antelope survey respondents.

First Week = Number of harvested during the first week of the general season by successful Antelope survey respondents.

Second Week = Number of harvested during the second week of the general season by successful Antelope survey respondents.

Third Week = Number of harvested during the third week of the general season by successful Antelope survey respondents.

Fourth Week = Number of harvested during the fourth week of the general season by successful Antelope survey respondents.

Pcnt Pre = An estimate of the percent harvest during pre-season.

Pcnt Wk 1 = An estimate of the percent harvest during week 1 of the general season.

Pcnt Wk 2 = An estimate of the percent harvest during week 2 of the general season.

Pcnt Wk 3 = An estimate of the percent harvest during week 3 of the general season.

Pcnt Wk 4 = An estimate of the percent harvest during week 4 of the general season.

Tables are presented at the Statewide and Regional level, then at the Hunting District Level.

**LY98 Antelope Response Data Summary, Kill By Time Period
Statewide and Regional, by Residency**

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
STA	ALL	6,541	118	397	3,378	1,273	836	539	1.8	6.1	51.6	19.5	12.8	8.2
	R	5,354	37	309	2,936	1,052	586	434	0.7	5.8	54.8	19.6	10.9	8.1
	N	1,187	81	88	442	221	250	105	6.8	7.4	37.2	18.6	21.1	8.8
R03	ALL	1,221	13	100	664	236	121	87	1.1	8.2	54.4	19.3	9.9	7.1
	R	1,150	6	87	640	229	108	80	0.5	7.6	55.7	19.9	9.4	7.0
	N	71	7	13	24	7	13	7	9.9	18.3	33.8	9.9	18.3	9.9
R04	ALL	726	10	65	390	124	77	60	1.4	9.0	53.7	17.1	10.6	8.3
	R	682	8	62	376	111	69	56	1.2	9.1	55.1	16.3	10.1	8.2
	N	44	2	3	14	13	8	4	4.5	6.8	31.8	29.5	18.2	9.1
R05	ALL	1,581	25	60	906	285	185	120	1.6	3.8	57.3	18.0	11.7	7.6
	R	1,377	9	54	818	252	144	100	0.7	3.9	59.4	18.3	10.5	7.3
	N	204	16	6	88	33	41	20	7.8	2.9	43.1	16.2	20.1	9.8
R06	ALL	713	9	57	338	145	92	72	1.3	8.0	47.4	20.3	12.9	10.1
	R	602	2	47	299	116	73	65	0.3	7.8	49.7	19.3	12.1	10.8
	N	111	7	10	39	29	19	7	6.3	9.0	35.1	26.1	17.1	6.3
R07	ALL	2,287	60	110	1,078	482	358	199	2.6	4.8	47.1	21.1	15.7	8.7
	R	1,537	12	57	801	343	192	132	0.8	3.7	52.1	22.3	12.5	8.6
	N	750	48	53	277	139	166	67	6.4	7.1	36.9	18.5	22.1	8.9
R09	ALL	13	1	5	2	1	3	1	7.7	38.5	15.4	7.7	23.1	7.7
	R	6	0	2	2	1	0	1	0.0	33.3	33.3	16.7	0.0	16.7
	N	7	1	3	0	0	3	0	14.3	42.9	0.0	0.0	42.9	0.0

**LY98 Antelope Response Data Summary, Kill By Time Period
By Hunting District and Residency**

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
300	ALL	90	0	2	59	14	9	6	0.0	2.2	65.6	15.6	10.0	6.7
	R	82	0	2	55	13	8	4	0.0	2.4	67.1	15.9	9.8	4.9
	N	8	0	0	4	1	1	2	0.0	0.0	50.0	12.5	12.5	25.0
301	ALL	24	1	1	16	5	1	0	4.2	4.2	66.7	20.8	4.2	0.0
	R	21	0	1	15	4	1	0	0.0	4.8	71.4	19.0	4.8	0.0
	N	3	1	0	1	1	0	0	33.3	0.0	33.3	33.3	0.0	0.0
310	ALL	143	1	9	90	28	10	5	0.7	6.3	62.9	19.6	7.0	3.5
	R	138	0	9	88	28	9	4	0.0	6.5	63.8	20.3	6.5	2.9
	N	5	1	0	2	0	1	1	20.0	0.0	40.0	0.0	20.0	20.0
311	ALL	28	1	2	15	4	1	5	3.6	7.1	53.6	14.3	3.6	17.9
	R	28	1	2	15	4	1	5	3.6	7.1	53.6	14.3	3.6	17.9
313	ALL	3	0	1	2	0	0	0	0.0	33.3	66.7	0.0	0.0	0.0
	R	3	0	1	2	0	0	0	0.0	33.3	66.7	0.0	0.0	0.0
318	ALL	38	0	0	29	6	2	1	0.0	0.0	76.3	15.8	5.3	2.6
	R	37	0	0	28	6	2	1	0.0	0.0	75.7	16.2	5.4	2.7
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
319	ALL	18	0	0	11	5	1	1	0.0	0.0	61.1	27.8	5.6	5.6
	R	18	0	0	11	5	1	1	0.0	0.0	61.1	27.8	5.6	5.6
320	ALL	104	2	13	44	17	15	13	1.9	12.5	42.3	16.3	14.4	12.5
	R	97	2	11	43	17	11	13	2.1	11.3	44.3	17.5	11.3	13.4
	N	7	0	2	1	0	4	0	0.0	28.6	14.3	0.0	57.1	0.0
321	ALL	93	0	8	53	14	7	11	0.0	8.6	57.0	15.1	7.5	11.8
	R	88	0	8	50	13	7	10	0.0	9.1	56.8	14.8	8.0	11.4
	N	5	0	0	3	1	0	1	0.0	0.0	60.0	20.0	0.0	20.0
329	ALL	67	0	2	37	15	10	3	0.0	3.0	55.2	22.4	14.9	4.5
	R	66	0	2	36	15	10	3	0.0	3.0	54.5	22.7	15.2	4.5
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
330	ALL	86	2	3	48	20	7	6	2.3	3.5	55.8	23.3	8.1	7.0
	R	78	0	3	46	19	4	6	0.0	3.8	59.0	24.4	5.1	7.7
	N	8	2	0	2	1	3	0	25.0	0.0	25.0	12.5	37.5	0.0
338	ALL	55	0	2	30	12	7	4	0.0	3.6	54.5	21.8	12.7	7.3
	R	52	0	2	28	12	7	3	0.0	3.8	53.8	23.1	13.5	5.8
	N	3	0	0	2	0	0	1	0.0	0.0	66.7	0.0	0.0	33.3
339	ALL	62	2	3	28	16	8	5	3.2	4.8	45.2	25.8	12.9	8.1
	R	57	0	2	27	15	8	5	0.0	3.5	47.4	26.3	14.0	8.8
	N	5	2	1	1	1	0	0	40.0	20.0	20.0	20.0	0.0	0.0
340	ALL	20	0	2	10	3	3	2	0.0	10.0	50.0	15.0	15.0	10.0
	R	19	0	2	9	3	3	2	0.0	10.5	47.4	15.8	15.8	10.5
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
341	ALL	48	0	3	33	9	1	2	0.0	6.3	68.8	18.8	2.1	4.2
	R	45	0	3	31	8	1	2	0.0	6.7	68.9	17.8	2.2	4.4
	N	3	0	0	2	1	0	0	0.0	0.0	66.7	33.3	0.0	0.0
350	ALL	23	0	2	11	5	2	3	0.0	8.7	47.8	21.7	8.7	13.0
	R	22	0	2	11	5	2	2	0.0	9.1	50.0	22.7	9.1	9.1
	N	1	0	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	100.0

LY98 Antelope Response Data Summary, Kill By Time Period
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
360	ALL	116	2	31	28	30	14	11	1.7	26.7	24.1	25.9	12.1	9.5
	R	99	1	21	26	29	12	10	1.0	21.2	26.3	29.3	12.1	10.1
	N	17	1	10	2	1	2	1	5.9	58.8	11.8	5.9	11.8	5.9
370	ALL	42	0	6	22	6	4	4	0.0	14.3	52.4	14.3	9.5	9.5
	R	41	0	6	21	6	4	4	0.0	14.6	51.2	14.6	9.8	9.8
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
371	ALL	19	2	0	9	5	3	0	10.5	0.0	47.4	26.3	15.8	0.0
	R	19	2	0	9	5	3	0	10.5	0.0	47.4	26.3	15.8	0.0
380	ALL	79	0	6	49	13	8	3	0.0	7.6	62.0	16.5	10.1	3.8
	R	78	0	6	49	13	7	3	0.0	7.7	62.8	16.7	9.0	3.8
	N	1	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
381	ALL	9	0	0	8	1	0	0	0.0	0.0	88.9	11.1	0.0	0.0
	R	9	0	0	8	1	0	0	0.0	0.0	88.9	11.1	0.0	0.0
390	ALL	38	0	2	21	7	6	2	0.0	5.3	55.3	18.4	15.8	5.3
	R	37	0	2	21	7	5	2	0.0	5.4	56.8	18.9	13.5	5.4
	N	1	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
399	ALL	16	0	2	11	1	2	0	0.0	12.5	68.8	6.3	12.5	0.0
	R	16	0	2	11	1	2	0	0.0	12.5	68.8	6.3	12.5	0.0
401	ALL	89	0	6	56	13	8	6	0.0	6.7	62.9	14.6	9.0	6.7
	R	89	0	6	56	13	8	6	0.0	6.7	62.9	14.6	9.0	6.7
404	ALL	31	0	6	18	5	0	2	0.0	19.4	58.1	16.1	0.0	6.5
	R	30	0	6	18	4	0	2	0.0	20.0	60.0	13.3	0.0	6.7
	N	1	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
413	ALL	26	1	3	18	2	2	0	3.8	11.5	69.2	7.7	7.7	0.0
	R	24	1	3	16	2	2	0	4.2	12.5	66.7	8.3	8.3	0.0
	N	2	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
420	ALL	21	1	1	9	7	2	1	4.8	4.8	42.9	33.3	9.5	4.8
	R	19	1	1	8	6	2	1	5.3	5.3	42.1	31.6	10.5	5.3
	N	2	0	0	1	1	0	0	0.0	0.0	50.0	50.0	0.0	0.0
430	ALL	64	0	3	40	11	7	3	0.0	4.7	62.5	17.2	10.9	4.7
	R	60	0	3	40	9	6	2	0.0	5.0	66.7	15.0	10.0	3.3
	N	4	0	0	0	2	1	1	0.0	0.0	0.0	50.0	25.0	25.0
440	ALL	23	0	3	12	5	2	1	0.0	13.0	52.2	21.7	8.7	4.3
	R	23	0	3	12	5	2	1	0.0	13.0	52.2	21.7	8.7	4.3
444	ALL	26	0	5	14	3	4	0	0.0	19.2	53.8	11.5	15.4	0.0
	R	25	0	5	13	3	4	0	0.0	20.0	52.0	12.0	16.0	0.0
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
450	ALL	108	3	9	57	19	11	9	2.8	8.3	52.8	17.6	10.2	8.3
	R	98	2	9	54	15	10	8	2.0	9.2	55.1	15.3	10.2	8.2
	N	10	1	0	3	4	1	1	10.0	0.0	30.0	40.0	10.0	10.0

LY98 Antelope Response Data Summary, Kill By Time Period
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
<hr/>														
470	ALL	33	0	2	19	7	1	4	0.0	6.1	57.6	21.2	3.0	12.1
	R	32	0	2	19	7	0	4	0.0	6.3	59.4	21.9	0.0	12.5
	N	1	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
471	ALL	33	0	2	18	7	2	4	0.0	6.1	54.5	21.2	6.1	12.1
	R	30	0	2	18	6	1	3	0.0	6.7	60.0	20.0	3.3	10.0
	N	3	0	0	0	1	1	1	0.0	0.0	0.0	33.3	33.3	33.3
473	ALL	16	0	6	8	0	1	1	0.0	37.5	50.0	0.0	6.3	6.3
	R	15	0	5	8	0	1	1	0.0	33.3	53.3	0.0	6.7	6.7
	N	1	0	1	0	0	0	0	0.0	100.0	0.0	0.0	0.0	0.0
480	ALL	95	1	10	36	20	19	9	1.1	10.5	37.9	21.1	20.0	9.5
	R	87	1	8	33	17	19	9	1.1	9.2	37.9	19.5	21.8	10.3
	N	8	0	2	3	3	0	0	0.0	25.0	37.5	37.5	0.0	0.0
481	ALL	38	0	3	21	4	4	6	0.0	7.9	55.3	10.5	10.5	15.8
	R	36	0	3	19	4	4	6	0.0	8.3	52.8	11.1	11.1	16.7
	N	2	0	0	2	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
490	ALL	63	2	3	30	14	5	9	3.2	4.8	47.6	22.2	7.9	14.3
	R	59	1	3	30	13	4	8	1.7	5.1	50.8	22.0	6.8	13.6
	N	4	1	0	0	1	1	1	25.0	0.0	0.0	25.0	25.0	25.0
491	ALL	47	1	1	31	2	7	5	2.1	2.1	66.0	4.3	14.9	10.6
	R	43	1	1	29	2	5	5	2.3	2.3	67.4	4.7	11.6	11.6
	N	4	0	0	2	0	2	0	0.0	0.0	50.0	0.0	50.0	0.0
499	ALL	13	1	2	3	5	2	0	7.7	15.4	23.1	38.5	15.4	0.0
	R	12	1	2	3	5	1	0	8.3	16.7	25.0	41.7	8.3	0.0
	N	1	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
500	ALL	108	0	7	63	23	9	6	0.0	6.5	58.3	21.3	8.3	5.6
	R	99	0	5	59	22	8	5	0.0	5.1	59.6	22.2	8.1	5.1
	N	9	0	2	4	1	1	1	0.0	22.2	44.4	11.1	11.1	11.1
501	ALL	148	4	7	84	34	12	7	2.7	4.7	56.8	23.0	8.1	4.7
	R	127	1	7	76	30	6	7	0.8	5.5	59.8	23.6	4.7	5.5
	N	21	3	0	8	4	6	0	14.3	0.0	38.1	19.0	28.6	0.0
510	ALL	114	4	1	61	17	21	10	3.5	0.9	53.5	14.9	18.4	8.8
	R	95	1	1	51	16	16	10	1.1	1.1	53.7	16.8	16.8	10.5
	N	19	3	0	10	1	5	0	15.8	0.0	52.6	5.3	26.3	0.0
511	ALL	96	1	4	56	16	10	9	1.0	4.2	58.3	16.7	10.4	9.4
	R	90	0	4	51	16	10	9	0.0	4.4	56.7	17.8	11.1	10.0
	N	6	1	0	5	0	0	0	16.7	0.0	83.3	0.0	0.0	0.0
512	ALL	28	1	1	13	6	3	4	3.6	3.6	46.4	21.4	10.7	14.3
	R	26	1	1	13	6	2	3	3.8	3.8	50.0	23.1	7.7	11.5
	N	2	0	0	0	0	1	1	0.0	0.0	0.0	0.0	50.0	50.0
513	ALL	165	3	4	98	22	20	18	1.8	2.4	59.4	13.3	12.1	10.9
	R	134	1	4	89	18	11	11	0.7	3.0	66.4	13.4	8.2	8.2
	N	31	2	0	9	4	9	7	6.5	0.0	29.0	12.9	29.0	22.6
514	ALL	21	0	2	5	7	4	3	0.0	9.5	23.8	33.3	19.0	14.3
	R	20	0	2	5	6	4	3	0.0	10.0	25.0	30.0	20.0	15.0
	N	1	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0

LY98 Antelope Response Data Summary, Kill By Time Period
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
530	ALL	247	3	8	158	30	31	17	1.2	3.2	64.0	12.1	12.6	6.9
	R	188	2	6	125	22	21	12	1.1	3.2	66.5	11.7	11.2	6.4
	N	59	1	2	33	8	10	5	1.7	3.4	55.9	13.6	16.9	8.5
540	ALL	26	0	4	16	4	0	2	0.0	15.4	61.5	15.4	0.0	7.7
	R	26	0	4	16	4	0	2	0.0	15.4	61.5	15.4	0.0	7.7
550	ALL	106	2	5	59	20	12	8	1.9	4.7	55.7	18.9	11.3	7.5
	R	97	0	4	57	19	10	7	0.0	4.1	58.8	19.6	10.3	7.2
	N	9	2	1	2	1	2	1	22.2	11.1	22.2	11.1	22.2	11.1
560	ALL	143	1	6	80	29	18	9	0.7	4.2	55.9	20.3	12.6	6.3
	R	134	1	6	76	26	17	8	0.7	4.5	56.7	19.4	12.7	6.0
	N	9	0	0	4	3	1	1	0.0	0.0	44.4	33.3	11.1	11.1
570	ALL	130	1	4	74	26	20	5	0.8	3.1	56.9	20.0	15.4	3.8
	R	115	1	3	68	21	18	4	0.9	2.6	59.1	18.3	15.7	3.5
	N	15	0	1	6	5	2	1	0.0	6.7	40.0	33.3	13.3	6.7
571	ALL	106	0	2	63	25	9	7	0.0	1.9	59.4	23.6	8.5	6.6
	R	99	0	2	60	22	9	6	0.0	2.0	60.6	22.2	9.1	6.1
	N	7	0	0	3	3	0	1	0.0	0.0	42.9	42.9	0.0	14.3
572	ALL	32	0	1	18	5	6	2	0.0	3.1	56.3	15.6	18.8	6.3
	R	31	0	1	18	5	5	2	0.0	3.2	58.1	16.1	16.1	6.5
	N	1	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
590	ALL	106	5	4	55	20	10	12	4.7	3.8	51.9	18.9	9.4	11.3
	R	91	1	4	51	18	7	10	1.1	4.4	56.0	19.8	7.7	11.0
	N	15	4	0	4	2	3	2	26.7	0.0	26.7	13.3	20.0	13.3
599	ALL	5	0	0	3	1	0	1	0.0	0.0	60.0	20.0	0.0	20.0
	R	5	0	0	3	1	0	1	0.0	0.0	60.0	20.0	0.0	20.0
600	ALL	136	1	16	68	29	10	12	0.7	11.8	50.0	21.3	7.4	8.8
	R	122	1	15	64	25	9	8	0.8	12.3	52.5	20.5	7.4	6.6
	N	14	0	1	4	4	1	4	0.0	7.1	28.6	28.6	7.1	28.6
610	ALL	46	1	6	21	7	6	5	2.2	13.0	45.7	15.2	13.0	10.9
	R	44	0	6	21	6	6	5	0.0	13.6	47.7	13.6	13.6	11.4
	N	2	1	0	0	1	0	0	50.0	0.0	0.0	50.0	0.0	0.0
620	ALL	137	2	14	68	29	16	8	1.5	10.2	49.6	21.2	11.7	5.8
	R	102	0	11	53	19	12	7	0.0	10.8	52.0	18.6	11.8	6.9
	N	35	2	3	15	10	4	1	5.7	8.6	42.9	28.6	11.4	2.9
630	ALL	36	1	3	12	9	5	6	2.8	8.3	33.3	25.0	13.9	16.7
	R	30	1	1	11	8	3	6	3.3	3.3	36.7	26.7	10.0	20.0
	N	6	0	2	1	1	2	0	0.0	33.3	16.7	16.7	33.3	0.0
640	ALL	13	0	2	3	3	3	2	0.0	15.4	23.1	23.1	23.1	15.4
	R	12	0	2	3	2	3	2	0.0	16.7	25.0	16.7	25.0	16.7
	N	1	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
650	ALL	105	2	7	45	22	15	14	1.9	6.7	42.9	21.0	14.3	13.3
	R	79	0	3	35	15	12	14	0.0	3.8	44.3	19.0	15.2	17.7
	N	26	2	4	10	7	3	0	7.7	15.4	38.5	26.9	11.5	0.0

LY98 Antelope Response Data Summary, Kill By Time Period
By Hunting District and Residency

Loc	Res	Reported Harvest	Time Unkn	Pre- Season	First Week	Second Week	Third Week	Fourth Week	Pcnt Unkn	Pcnt Pre	Pcnt Wk 1	Pcnt Wk 2	Pcnt Wk 3	Pcnt Wk 4
651	ALL	43	0	1	18	10	10	4	0.0	2.3	41.9	23.3	23.3	9.3
	R	42	0	1	17	10	10	4	0.0	2.4	40.5	23.8	23.8	9.5
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
670	ALL	50	1	2	20	11	8	8	2.0	4.0	40.0	22.0	16.0	16.0
	R	42	0	2	17	9	6	8	0.0	4.8	40.5	21.4	14.3	19.0
	N	8	1	0	3	2	2	0	12.5	0.0	37.5	25.0	25.0	0.0
690	ALL	145	1	6	82	25	19	12	0.7	4.1	56.6	17.2	13.1	8.3
	R	128	0	6	78	22	12	10	0.0	4.7	60.9	17.2	9.4	7.8
	N	17	1	0	4	3	7	2	5.9	0.0	23.5	17.6	41.2	11.8
699	ALL	2	0	0	1	0	0	1	0.0	0.0	50.0	0.0	0.0	50.0
	R	1	0	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	100.0
	N	1	0	0	1	0	0	0	0.0	0.0	100.0	0.0	0.0	0.0
700	ALL	576	11	30	273	125	84	53	1.9	5.2	47.4	21.7	14.6	9.2
	R	447	5	22	231	95	54	40	1.1	4.9	51.7	21.3	12.1	8.9
	N	129	6	8	42	30	30	13	4.7	6.2	32.6	23.3	23.3	10.1
701	ALL	744	21	46	363	157	105	52	2.8	6.2	48.8	21.1	14.1	7.0
	R	522	4	23	279	120	59	37	0.8	4.4	53.4	23.0	11.3	7.1
	N	222	17	23	84	37	46	15	7.7	10.4	37.8	16.7	20.7	6.8
702	ALL	107	1	3	60	14	14	15	0.9	2.8	56.1	13.1	13.1	14.0
	R	89	1	3	53	14	7	11	1.1	3.4	59.6	15.7	7.9	12.4
	N	18	0	0	7	0	7	4	0.0	0.0	38.9	0.0	38.9	22.2
703	ALL	217	3	1	90	59	39	25	1.4	0.5	41.5	27.2	18.0	11.5
	R	172	2	1	79	48	24	18	1.2	0.6	45.9	27.9	14.0	10.5
	N	45	1	0	11	11	15	7	2.2	0.0	24.4	24.4	33.3	15.6
704	ALL	206	7	9	87	38	40	25	3.4	4.4	42.2	18.4	19.4	12.1
	R	129	0	5	61	30	20	13	0.0	3.9	47.3	23.3	15.5	10.1
	N	77	7	4	26	8	20	12	9.1	5.2	33.8	10.4	26.0	15.6
705	ALL	435	17	21	205	88	75	29	3.9	4.8	47.1	20.2	17.2	6.7
	R	177	0	3	98	35	28	13	0.0	1.7	55.4	19.8	15.8	7.3
	N	258	17	18	107	53	47	16	6.6	7.0	41.5	20.5	18.2	6.2
799	ALL	2	0	0	0	1	1	0	0.0	0.0	0.0	50.0	50.0	0.0
	R	1	0	0	0	1	0	0	0.0	0.0	0.0	100.0	0.0	0.0
	N	1	0	0	0	0	1	0	0.0	0.0	0.0	0.0	100.0	0.0
999	ALL	13	1	5	2	1	3	1	7.7	38.5	15.4	7.7	23.1	7.7
	R	6	0	2	2	1	0	1	0.0	33.3	33.3	16.7	0.0	16.7
	N	7	1	3	0	0	3	0	14.3	42.9	0.0	0.0	42.9	0.0

